




PRODUCT SPECIFICATION WALL MOUNT SHOWER ARM



FACTS

1/2" and 3/4" sizes available, depending on shower head

1/2" (SF-SHW-10-103)

3/4" (SF-SHW-10-106)


Flange at wall sold separately (SF-SHW-10-102)

Available in six standard finishes (WaterBridge & Cixx Collections)

Rustic Copper	(RC)	Oil Rubbed Bronze	(ORB)
Rustic Nickel	(RN)	Pizzazz Nickel	(PN)



PRODUCT SPECIFICATIONS
WATERBRIDGE SHOWER ARM – FOR RAIN HEAD
(WB-SHW-ARM-12)
(WB-SHW-ARM-18)
(WB-SHW-ARM-26)



FACTS

Made for use with Waterbridge Exposed Showers
Solid Copper & Brass Construction, piping is 1-3/8" O.D.

Can be used with concealed shower systems

(shower head sold separately)

(trim ring at wall sold separately)

Three standard sizes: 12", 18", 26"

NOTE: 26" Requires ceiling support bracket

3/4" NPT to 1/2" NPS

Includes 2" trim ring (not shown)


Available in Four Standard Finishes (WaterBridge Collection)

Rustic Copper	(RC)	Oil Rubbed Bronze	(ORB)
Rustic Nickel	(RN)	Pizzazz Nickel	(PN)



UPDATED
VERSION
JAN 2010

PRODUCT SPECIFICATIONS
WATERBRIDGE EXPOSED SHOWER ARM
WITH 45° ELBOW
(WB-SHW-ARM-45)



FACTS

Made for use with Waterbridge Exposed Showers
Solid Copper & Brass Construction, piping is 1-3/8" O.D.
Can be used with concealed shower systems
(shower head sold separately)
(trim ring at wall sold separately)

3/4" NPT to 1/2" NPS


Includes 2" trim ring (not shown)

Available in Four Standard Finishes (WaterBridge Collection)

Rustic Copper	(RC)	Oil Rubbed Bronze	(ORB)
Rustic Nickel	(RN)	Pizzazz Nickel	(PN)



PRODUCT SPECIFICATION CEILING MOUNT SHOWER NECKS



FACTS

1/2" and 3/4" sizes available, depending on shower head
See Price List for part numbers

Flange at wall sold separately (SF-SHW-10-102)

Available in six standard finishes (WaterBridge & Cixx Collections)

Rustic Copper	(RC)	Oil Rubbed Bronze	(ORB)
Rustic Nickel	(RN)	Pizzazz Nickel	(PN)